

SPECIFICATIONS

Model	M3	M6
Pixel Pitch (mm)	P3.91/P3.91	P6.25/P6.25
Visual Transparency	80%	90%
Pixel Density(dot/m ²)	65536	25600
Cabinet Size(H×Wmm)	1000×250\1200×250	1500×400
Cabinet Resolution(dot)	256×64 \ 300×64	240×64
Weight(Kg/m ²)	6	5
Brightness(cd/m ²)	≥4000	≥5000
Package Form	Light driver integrated package	
Scan Mode	Single point single control, static drive	
LED Lifespan	≥100,000.00 hours	
Grayscale	65536	
Maximum Power Consumption (W/m ²)	800	
Average Power Consumption (W/m ²)	200	
LED Controller	Synchronous/Asynchronous	
Input Current	AC100~240V 50/60 Hz	
Module Working Current	DC 4.2V ± 0.2V	

APPLICATION



Holographic LED Screen

Holographic LED Screen

High lights

1 Transparent

It's a game-changer in the industry, without structural skeleton in the middle of the screen, which provides high visual transparency at 90% when glued onto a glass wall.

2 Light


Professional aesthetic design, thin and beautiful. Display body products. The weight is only 6KG/square meter.

3 Flexible

Standard modules can be bent, cut, and used flexibly. The best partner for curved glass and special-shaped screen.


4 Thin

Screen thickness is less than 2mm, which can be seamless surface mount. Mounted on transparent glass.



Holographic LED Screen


Glue on Glass



Ultra-clear and ultra-thin, high-transparency and high-temperature resistant high-end materials are used. The light board is perfectly designed to easily achieve a permeability of up to 80%. The overall mounting without a structural skeleton, the screen body can be spliced left and right, up and down, and can achieve a display height or width of 2.4-3 meters. Commercial window, glass curtain wall and other indoor and outdoor scenes.


Holographic LED Screen

Hanging/Free-standing



Hanging

The product is lightweight and easy to install for stage performance, door curtains show and other advertising scenes.



Free-standing

LA VISUAL also have another design for LED poster, which is movable and detachable. Display modules can be increased or decreased at any time according to the usage environment like exhibition booth, stage and other scenarios.